

Stainless Steel Pressure Reducing Valve - EPDM



LV 6143 (1-6 Bar) / LV 6144 (4-10 Bar)

Direct Acting, 316 Stainless Steel Body, EPDM Seat, Adjustable Outlet Pressure between 1.0 to 6.0 Bar and 4.0 to 10.0 Bar, Complete with Gauge



Pressure / Temperature Specifications	
Pressure	PN25
Temperature	-15°C to 100°C

Material Specifications	
1. Gauge	Stainless Steel
2. Upper Cover	316 Stainless Steel
3. O-ring	EPDM
4. U-ring	EPDM
5. Piston	316 Stainless Steel
6. Sealing Spacer	EPDM
7. Shaft	316 Stainless Steel
8. Diaphragm	EPDM
9. Body	316 Stainless Steel
10. UH-ring	EPDM
11. Fixed Bolt	304 Stainless Steel
12. Spring	Steel
13. Lower Cover	316 Stainless Steel
14. Washer	Brass
15. Adjusting Stem	304 Stainless Steel

Dimensions				
Size	H	L	CV	Kg
1/2"	75	154	2.4	2.5
3/4"	82	154	4.0	3.3
1"	82	154	6.5	3.5
1 1/2"	115	190	13.0	5.5
2"	115	196	17.0	7.5
2 1/2"	185	210	30.0	14.5
3"	185	229	42.0	15.5
4"	230	254	75.0	21.5
6"	290	310	170.0	45.0

